

Caching Dynamic Skyline Queries

D. Sacharidis¹, P. Bouros¹, T. Sellis^{1,2}

¹National Technical University of Athens

²Institute for Management of Information Systems – R.C. Athena

Outline


- Introduction
 - Skyline (SL) and dynamic skyline queries (DSL)
- Related work
- Evaluating dynamic skyline queries
 - Computing orthant skylines (OSL)
 - Computing dynamic skyline via caching
 - LRU, LFU, LPP cache replacement policies
- Experimental evaluation
- Conclusions and Future work

Skyline queries (SL)

- Given a dataset of d-dimensional points
 - SL contains points **not dominated** by others
 - x dominates y iff x **as good as** y in all dimensions and **strictly better** in **at least one**

Skyline queries (SL)


- Given a dataset of d-dimensional points
 - SL contains points **not dominated** by others
 - x dominates y iff x **as good as** y in all dimensions and **strictly better** in **at least one**



- Example
 - Dataset of hotels
 - Prefer **cheap** hotels **close** to the sea

Skyline queries (SL)


- Given a dataset of d-dimensional points
 - SL contains points **not dominated** by others
 - x dominates y iff x **as good as** y in all dimensions and **strictly better** in **at least one**



- Example
 - Dataset of hotels
 - Prefer **cheap** hotels **close** to the sea

Skyline queries (SL)


- Given a dataset of d-dimensional points
 - SL contains points **not dominated** by others
 - x dominates y iff x **as good as** y in all dimensions and **strictly better** in **at least one**



- Example
 - Dataset of hotels
 - Prefer **cheap** hotels **close** to the sea

Skyline queries (SL)

- Given a dataset of d-dimensional points
 - SL contains points **not dominated** by others
 - x dominates y iff x **as good as** y in all dimensions and **strictly better** in **at least one**




- Example
 - Dataset of hotels
 - Prefer **cheap** hotels **close** to the sea

Dynamic skyline queries (DSL)

- **Extension** of skyline queries
 - Given a query point q
 - DSL contains points **not dynamically dominated** by others w.r.t q
 - x dynamically dominates y iff x as preferable as y w.r.t. q in all dimensions and **strictly more preferable** w.r.t. q in at **least one**
- Can be treated as static SL
 - Transform points w.r.t. q

Dynamic skyline queries (DSL)


- **Extension** of skyline queries
 - Given a query point q
 - DSL contains points **not dynamically dominated** by others w.r.t q
 - x dynamically dominates y iff x as preferable as y w.r.t. q in all dimensions and **strictly more preferable** w.r.t. q in at **least one**
- Can be treated as static SL
 - Transform points w.r.t. q



- **Example**
 - User defines “ideal” hotel q

Dynamic skyline queries (DSL)


- **Extension** of skyline queries
 - Given a query point q
 - DSL contains points **not dynamically dominated** by others w.r.t q
 - x dynamically dominates y iff x as preferable as y w.r.t. q in all dimensions and **strictly more preferable** w.r.t. q in at **least one**
- Can be treated as static SL
 - Transform points w.r.t. q



- **Example**
 - User defines “ideal” hotel q

Dynamic skyline queries (DSL)

- **Extension** of skyline queries
 - Given a query point q
 - DSL contains points **not dynamically dominated** by others w.r.t q
 - x dynamically dominates y iff x as preferable as y w.r.t. q in all dimensions and **strictly more preferable** w.r.t. q in at **least one**
- Can be treated as static SL
 - Transform points w.r.t. q




- **Example**
 - User defines “ideal” hotel q

Intuition (1)


- Traditional SL algorithms need to run anew for each DSL query
- Our idea
 - Exploit results from past queries to reduce processing cost for future DSL queries
 - Cache past queries
 - Decide which queries in cache are useful

Intuition (2)




Intuition (2)

- 2 past DSL queries
 - q_a, q_b
- Each query partitions space in 4 quadrants



Intuition (3)

- A new query q arrives
- Consider DSL for q_a
 - p_1 is contained DSL(q_a)
 - p_1 dominates p_2, p_3, p_4
- p_1 lies in **upper right quadrant** w.r.t. q_a
- q_a lies in **upper right quadrant** w.r.t. q
- p_1 dominates also p_2, p_3, p_4 w.r.t. to q
 - **Exclude** p_2, p_3, p_4 from **dominance test** for DSL(q)



- Shaded area denotes points **dominated** by p_1

Contribution in brief

- Caching past DSL queries cannot reduce processing cost for future ones
 - We need more information about dominance relationships
- Introduce **orthant skylines (OSL)** and examine their relationship with DSL
- **Extend Bitmap** algorithm to compute OSL in **parallel** with DSL
- **Cache OSL** to enhance DSL queries evaluation
 - Present **3 cache replacement policies**
 - **LRU, LFU, LPP**
- Experimental evaluation of caching mechanism

Related work

- Non-indexed methods
 - Block-Nested Loops (BnL)
 - Bitmap
 - Multidimensional Divide and Conquer (DnC)
 - Sort First Scan (SFS)
- Index-based methods
 - B-tree
 - sort points according to the lowest valued coordinate
 - R-tree
 - Nearest neighbor based (NN)
 - Branch and bound (BBS)

Related work

- Non-indexed methods
 - Block-Nested Loops (BnL)
 - Bitmap
 - Multidimensional Divide and Conquer (DnC)
 - Sort First Scan (SFS)
- Index-based methods
 - B-tree
 - sort points according to the lowest valued coordinate
 - R-tree
 - Nearest neighbor based (NN)
 - Branch and bound (BBS)

Bitmap

- BnL variant
- Suitable for domains with low cardinality and discrete
- In brief
 - Computes a bitmap representation of the points in the dataset
 - Examines each point separately (dominance test)
 - Checks whether it is contained in the skyline or not
 - Exploits fast bitwise operations OR/AND

Bitmap – Dominance test


- For each point p
 - Define $A = A^1 \& A^2 \& \dots \& A^d$
 - Denotes the points as good as p in all dimensions
 - Define $B = B^1 \mid B^2 \mid \dots \mid B^d$
 - Denotes the points strictly better than p in at least one dimension
 - Dominance test:
 - If $C = A \& B$ has all bits set to 0 then p is in SL

Orthant skyline (OSL)

- OSL provides more information about dominance relationships than DSL
 - Useful for pruning
- Given a dataset of d -dimensional points and a query point q
 - Space partitioned in 2^d orthants
 - o -th orthant skyline (OSL) of q contains points of the o -th orthant not dynamically dominated by others inside orthant o w.r.t q


Orthant skyline (OSL)

- OSL provides more information about dominance relationships than DSL
 - Useful for pruning
- Given a dataset of d -dimensional points and a query point q
 - Space partitioned in 2^d orthants
 - o -th orthant skyline (OSL) of q contains points of the o -th orthant not dynamically dominated by others inside orthant o w.r.t q




Orthant skyline (OSL)

- OSL provides more information about dominance relationships than DSL
 - Useful for pruning
- Given a dataset of d -dimensional points and a query point q
 - Space partitioned in 2^d orthants
 - o -th orthant skyline (OSL) of q contains points of the o -th orthant not dynamically dominated by others inside orthant o w.r.t q




Orthant skyline (OSL)


- OSL provides more information about dominance relationships than DSL
 - Useful for pruning
- Given a dataset of d -dimensional points and a query point q
 - Space partitioned in 2^d orthants
 - o -th orthant skyline (OSL) of q contains points of the o -th orthant not dynamically dominated by others inside orthant o w.r.t q



OSL and DSL relationship




OSL and DSL relationship




OSL and DSL relationship

- Map points from quadrants 1,2,3 to points inside quadrant 0



OSL and DSL relationship


- Map points from quadrants 1,2,3 to points inside quadrant 0
- Compute DSL w.r.t. q



- original point
- mapped point
- dynamic skyline point
- quadrant skyline point

OSL and DSL relationship


- Map points from quadrants 1,2,3 to points inside quadrant 0
- Compute DSL w.r.t. q
- Union of all OSLs is superset of DSL w.r.t. to q



- original point
- mapped point
- dynamic skyline point
- ◐ quadrant skyline point

OSL and DSL relationship


- Map points from quadrants 1,2,3 to points inside quadrant 0
- Compute DSL w.r.t. q
- Union of all OSLs is superset of DSL w.r.t. to q



- original point
- mapped point
- dynamic skyline point
- ◐ quadrant skyline point

OSL and DSL relationship

- Map points from quadrants 1,2,3 to points inside quadrant 0
- Compute DSL w.r.t. q
- Union of all OSLs is superset of DSL w.r.t. to q



- original point
- mapped point
- dynamic skyline point
- quadrant skyline point

Computing orthant skylines

- Algorithm **DBM**
 - **Extends** Bitmap to compute DSL and OSLs **at the same time**
- **Method:**
 - Compute bitmap representation
 - Transform each point coordinates w.r.t. to query q
 - Dominance test, point p , orthant o
 - p not in OSL_o and not in DSL
 - p not in DSL, but in OSL_o
 - p in DSL and in OSL_o

Dynamic skylines Via Caching

- Cache OSLs instead of DSLs
 - Query cache contains (query point q_j , OSLs)
 - OSLs encode by bitmaps
- Algorithm **cDBM**
 - OSL contains information about dominance test inside orthant
 - Discard points inside orthants from dominance tests
- **Method:**
 - Compute bitmap representation
 - For each point p consider its position (orthant) w.r.t. to cache queries q_j
 - If p in the same orthant o w.r.t q_j as q_j w.r.t. q and p not in $OSL_o(q_j)$ then exclude it from $OSL_o(q)$, $DSL(q)$

Cache Replacement Policies


- General idea
 - Limited cache space
 - Identify least useful query point in cache
 - Replace it with new one

Usage-based policies

- Only a few queries in cache are useful
- Log cache query usage


Usage-based policies

- Only a few queries in cache are useful
- Log cache query usage




Usage-based policies

- Only a **few queries** in cache are **useful**
- Log cache **query usage**




Usage-based policies

- Only a **few queries** in cache are **useful**
- Log cache **query usage**
- Given a new query q
 - Consider as input the query points in cache Q
 - Only query points **in OSL of Q w.r.t. q** are **useful**




Usage-based policies

- Only a **few queries** in cache are **useful**
- Log cache **query usage**
- Given a new query q
 - Consider as input the query points in cache Q
 - Only query points **in OSL of Q w.r.t. q** are **useful**
 - Update cache - remove:
 - **Least Recently Used (LRU)** query point
 - **Least Frequently Used (LFU)** query point




Pruning power-based policy

- Usage-based policies do not indicate usefulness
- Useful cached query
 - Great **pruning power**
 - **Probability** that a query can **prune points** of dataset from DSL computation




Pruning power-based policy

- Usage-based policies do not indicate usefulness
- Useful cached query
 - Great **pruning power**
 - **Probability** that a query can **prune points** of dataset from DSL computation
 - **Depends on**
 - Points **dominated by query** in an orthant j




Pruning power-based policy

- Usage-based policies do not indicate usefulness
- Useful cached query
 - Great **pruning power**
 - **Probability** that a query can **prune points** of dataset from DSL computation
 - **Depends on**
 - Points **dominated by query** in an orthant j
 - Points **contained** in the **antisymmetric orthant** of j




Pruning power-based policy

- Usage-based policies do not indicate usefulness
- Useful cached query
 - Great **pruning power**
 - **Probability** that a query can **prune points** of dataset from DSL computation
 - **Depends on**
 - Points **dominated by query** in an orthant j
 - Points **contained** in the **antisymmetric orthant** of j




Pruning power-based policy

- Usage-based policies do not indicate usefulness
- Useful cached query
 - Great **pruning power**
 - **Probability** that a query can **prune points** of dataset from DSL computation
 - **Depends on**
 - Points **dominated by query** in an orthant j
 - Points **contained** in the **antisymmetric orthant** of j



Pruning power-based policy



- Usage-based policies do not indicate usefulness
- Useful cached query
 - Great **pruning power**
 - **Probability** that a query can **prune points** of dataset from DSL computation
 - **Depends on**
 - Points **dominated by query** in an orthant j
 - Points **contained** in the **antisymmetric orthant** of j
- **Update cache – remove**
 - Query point with **less pruning power (LPP)**



Experimental Evaluation

- Synthetic datasets
 - Distribution types
 - Independent, correlated, anti-correlated
 - Number of points N
 - 10k, 20k, 50k, 100k,
 - Dimensionality
 - $d = \{2, 3, 4, 5, 6\}$
 - Domain size for dimension
 - $|D| = \{10, 20, 50\}$
- Compare
 - Bitmap (NO-CACHE)
 - cDBM with LFU, LRU, LPP cache replacement policies
 - Query cache
 - $|Q| = \{10, 20, 30, 40, 50\}$ past query points
 - Cache size is $|Q| * N$ bits uncompressed


Varying query cache size




- Dataset: $N = 50k$ points, with $d = 4$ dimensions of $|D| = 20$ domain size
- LFU, LRU cache queries **not representative** for future ones
- LPP caches queries with **great pruning power**

Effect of distribution parameters

Correlated vary N



Correlated vary d



- Relative improvement in running time over NO-CACHE
- Vary number of points N
 - $d = 4$ dimensions of $|D| = 20$ domain size
- Vary number of dimensions d
 - $N = 50k$, $|D| = 20$

Conclusions and Future work

- Conclusions

- Introduced **orthant skylines (OSLs)** and discussed its relationship with **DSL**
- Extended **Bitmap** to compute OSLs and DSL at the same time (**DBM algorithm**)
- Proposed **caching mechanism** of OSLs to **reduce cost** for **future DSL queries**
 - **LRU, LFU, LPP** cache **replacement policies**
- Experimentally verified the **efficiency of caching mechanism**

- Future work

- Apply caching mechanism to **index-based methods**
- Further **increase pruning power** of cached queries

Questions ?