




A • Islands in the Data Stream

Given a sequence of integers $a_1, a_2, a_3, \dots, a_n$, an *island* in the sequence is a contiguous subsequence for which each element is greater than the elements immediately before and after the subsequence. In the examples below, each island in the sequence has a bracket below it. The bracket for an island contained within another island is below the bracket of the containing island.



Write a program that takes as input a sequence of **15** non-negative integers, in which each integer differs from the previous integer by at most **1**, and outputs the number of islands in the sequence.

Input

The first line of input contains a single integer P , ($1 \leq P \leq 1000$), which is the number of data sets that follow. Each data set should be processed identically and independently.

Each data set consists of a single line of input. It contains the data set number, K , followed by **15** non-negative integers separated by a single space. The first and last integers in the sequence will be 0. Each integer will differ from the previous integer by at most 1.

Output

For each data set there is one line of output. The single output line consists of the data set number, K , followed by a single space followed by the number of islands in the sequence.

Sample Input	Sample Output
4	1 4
1 0 0 1 1 2 2 1 1 0 1 2 2 1 1 0	2 7
2 0 1 2 3 4 3 2 1 2 3 4 3 2 1 0	3 7
3 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	4 7
4 0 1 2 3 4 5 6 7 6 5 4 3 2 1 0	



B • Von Neumann's Fly

The following problem was posed to John von Neumann:

Two bicyclists, **A** and **B**, start riding toward each other at the same time from places that are 250 miles apart, **A** traveling at 10 miles per hour, and **B** at 15 miles per hour. At the same time, a fly leaves the front wheel of **A**'s bicycle, and flies toward **B**'s bicycle at 20 miles per hour. As soon as he touches the front wheel of **B**'s bicycle, he turns around and flies back. As the bicycles approach each other, he continues flying back and forth, touching each front wheel in turn, until, alas, he is crushed between them. Since the fly travels faster than either cyclist, he makes an infinite number of trips, yet travels a finite distance (the infinite series converges). How far did the fly travel?

Von Neumann immediately summed the infinite series (in his head!), and arrived at the correct answer: 200 miles.

You are to write a program that solves a more general version of that problem, with varying initial distances and speeds.

Input

The first line of input contains a single integer **P**, ($1 \leq P \leq 1000$), which is the number of data sets that follow. Each data set should be processed identically and independently.

Each data set consists of a single line containing five values: an integer **N** (the data set number), and four floating-point values: **D** (the initial distance between the bicycles, $10 \leq D \leq 1000$), **A** (cyclist **A**'s speed in miles per hour, $1 \leq A \leq 30$), **B** (cyclist **B**'s speed in miles per hour, $1 \leq B \leq 30$), and **F** (the fly's speed in miles per hour, $A \leq B < F \leq 50$).


Output

For each data set there is one line of output. It contains the data set number followed by a single space, followed by the number of miles traveled by the fly, (the sum of the infinite series described by the input values), accurate to two decimal places.

Sample Input	Sample Output
5	1 200.00
1 250 10 15 20	2 7.18
2 10.7 3.5 4.7 5.5	3 484.42
3 523.7 15.3 20.7 33.3	4 833.33
4 1000 30 30 50	5 416.67
5 500 15 15 25	

C • Strahler Order

In geology, a river system can be represented as a directed graph. Each river segment is an edge; with the edge pointing the same way the water flows. Nodes are either the source of a river segment (for example, a lake or spring), where river segments merge or diverge, or the mouth of the river.



Note: The number in a box is the order. The number in a circle is the node number.

The *Strahler order* of a river system is computed as follows.

- The order of each source node is 1.
- For every other node, let i be the highest order of all its upstream nodes. If just one upstream node has order i , then this node also has order i . If two or more upstream nodes have order i , then this node has order $i+1$.

The order of the entire river system is the order of the mouth node. In this problem, the river system will have just one mouth. In the picture above, the *Strahler order* is three (3).

You must write a program to determine the order of a given river system.

The actual river with the highest order is the *Amazon*, with order **12**. The highest in the U.S. is the *Mississippi*, with order **10**.

Node **M** is the mouth of the river. It has no outgoing edges.



Input

The first line of input contains a single integer K , ($1 \leq K \leq 1000$), which is the number of data sets that follow. Each data set should be processed identically and independently.

Each data set consists of multiple lines of input. The first line of each data set contains three positive integers, K , M and P ($2 \leq M \leq 1000$). K is the data set number. M is the number of nodes in the graph and P is the number of edges. The first line is followed by P lines, each describing an edge of the graph. The line will contain two positive integers, A and B , indicating that water flows from node A to node B ($1 \leq A, B \leq M$). Node M is the mouth of the river. It has no outgoing edges.

Output

For each data set there is a single line of output. The line consists of the data set number, a single space and the order of the river system.

Sample Input	Sample Output
1 1 7 8 1 3 2 3 6 4 3 4 3 5 6 7 5 7 4 7	1 3



E • Deranged Exams

The first question on the *Data Structures and Algorithms* final exam has a list of N terms and a second list of N definitions. Students are to match each term with the correct definition. Unfortunately, Joe, who wrote a Visual BASIC program in high school and assumed he knew all there was to know about Computer Science, did not bother to come to class or read the textbook. He has to guess randomly what the matches are. Let $s(N, k)$ be the number of ways Joe can answer the question and get at least the first k matches wrong.

For this problem, you will write a program to compute $s(N, k)$.

Input

The first line of input contains a single integer P , ($1 \leq P \leq 1000$), which is the number of data sets that follow. Each data set should be processed identically and independently.

Each data set consists of a single line of input containing three space separated decimal integers. The first integer is the data set number. The second integer is the number, N ($1 \leq N \leq 17$), of terms to be matched in the question. The third integer is the number, k ($0 \leq k \leq N$), of initial matches to be incorrect.




Output

For each data set there is a single line of output. It contains the data set number followed by a single space which is then followed by the value of $s(N, k)$.

Sample Input	Sample Output
4	1 18
1 4 1	2 3216
2 7 3	3 2170680
3 10 5	4 130850092279664
4 17 17	

G • Triangle Count Sequences of Polygon Triangulations

A *Triangulation* of a polygon is a set of lines between vertices of the polygon that divide the polygon into triangles. The lines must be inside the polygon and may not intersect each other except at vertices of the polygon. For example:



In the examples, the heavy line is the outline of the polygon and the lighter lines give the *triangulation*. In each case a triangulation of a polygon with n vertices will result in $(n-2)$ triangles.

The *triangle count sequence* of a triangulation is obtained by starting at some vertex, proceeding around the polygon and for each vertex of the polygon recording the number of triangles of the triangulation incident on that vertex. In the examples above the triangle count sequences starting at the top (left) are:

A: 1 3 1 3 1 3

B: 2 2 1 4 1 2

C: 1 2 3 2 1 6 1 2 3 2 1 6

Write a program which takes as input a sequence of N positive integers and determines whether the sequence is the triangle count sequence of a polygon of N vertices. If so, list the triangles of the triangulation in lexicographical order.



Input

The first line of input contains a single integer P , ($1 \leq P \leq 1000$), which is the number of data sets that follow. Each data set should be processed identically and independently.

Each data set consists of a single line of input. It contains the data set number, K , followed by the number, N , ($4 \leq N \leq 20$) of integers in the sequence, followed by the N integers of the sequence in order, all separated by a single space.

Output

For each data set there may be multiple lines of output. If the input sequence is **NOT** the *triangle count sequence* of a polygon of N vertices, the single output line consists of the data set number, K , followed by a single space followed by the (capital) letter N . Otherwise (the input sequence is the *triangle count sequence* of a polygon of N vertices), the first output line consists of the data set number, K , followed by a single space followed by the (capital) letter Y . Following this line are $(N-2)$ lines each containing the indices of the vertices of a triangle of the triangulation, one triangle per line, with the vertex indices in increasing order. The triangles should be sorted in *lexicographic* order least first. That is, if $k < l < m$ are the vertex indices of one triangle and $r < s < t$ are the vertex indices of another, then the first precedes the second in *lexicographical* order if:


$$k < r \text{ OR } (k == r \text{ AND } l < s) \text{ OR } (k == r \text{ AND } l == s \text{ AND } m < t)$$

Sample Input	Sample Output
4	1 Y
1 6 1 3 1 3 1 3	1 2 6
2 6 1 3 2 2 1 3	2 3 4
3 12 1 2 3 2 1 6 1 2 3 2 1 6	2 4 6
4 20 1 2 3 2 1 6 1 2 3 2 1 6 1 3 2 2 1 3 1 2	4 5 6
	2 N
	3 Y
	1 2 12
	2 3 12
	3 4 6
	3 6 12
	4 5 6
	6 7 8
	6 8 9
	6 9 12
	9 10 12
	10 11 12
	4 N

(Note: The first line of output for each input data set is shown in **bold** to make it easier to read.)

I • Contraband

It has been reported that something fell out of an aircraft approaching the airport over the bay. Thinking the object may have been some sort of contraband to be picked up by a confederate, the police want to watch for a repeat whenever any of the aircraft that could have been the one that dropped the object again approaches the airport over the bay. Three observation stations with night vision equipment have been stationed around the bay (see figure below).



Station 1 is 3.715 kilometers east and 1.765 kilometers north of station 0 and station 2 is 2.894 kilometers east and 2.115 kilometers south of station 0.

When a suspect aircraft crosses the bay, each observer follows it with the night vision equipment while in contact with the others. If any observer sees something falling from the aircraft, each records a direction to the object and a *confidence level* for that direction. The *confidence level* (CL) is a value from 0 (more or less pointing at the aircraft) to 1 (pointing at the splash where the object hit the water).

In general, the three sight lines will not cross at a single point but will form a triangle (see *Intersection Detail* above). The best estimate of the actual position is to be the point (x, y) which minimizes the sum of the squares of the distances, $d[i]$, to each line, weighted by the confidence level, $CL[i] + 0.2$,

$$\text{Minimize } \text{SUM}(i = 0 \text{ to } 2) \{ (CL[i] + 0.2) * d[i]^2 \}$$



For this problem, you will write a program which takes as input the three observer directions and the three confidence levels and outputs the point (x, y) , which minimizes the above sum, where x is the distance in kilometers east of station 0 and y is the distance in kilometers north (positive) or south (negative) of station 0.

Input

The first line of input contains a single integer P , ($1 \leq P \leq 1000$), which is the number of data sets that follow. Each data set should be processed identically and independently.

Each data set is a single line of input consisting of the data set number N , followed by a space, followed by six space separated floating point values. The floating point values are, in order, $a[0]$, $CL[0]$, $a[1]$, $CL[1]$, $a[2]$, $CL[2]$. $a[i]$ is the bearing (in degrees clockwise from north) from station i ($0 \leq a[i] < 360$), and $CL[i]$ is the confidence level of observer i ($0 \leq CL[i] \leq 1$).

Output

For each data set there is one line of output. It contains the data set number, N , followed by a single space which is then followed by two space separated values, x and y . x is the distance east of station 0 in kilometers, and y is the distance north (positive) or south (negative) of station 0. The distances should be displayed to 3 decimal places.

Sample Input	Sample Output
3	1 1.847 1.877
1 44.0 0.38 272.9 0.41 345.5 0.64	2 1.440 1.511
2 43.5 0.80 263.6 0.81 338.2 0.83	3 2.073 2.021
3 45.9 0.50 279.2 0.78 348.7 0.81	